

AD-A198 300

DTIC FILE COPY

MTL TR 88-23

AD

(2)

# LOW TEMPERATURE HEAT CAPACITIES OF SEVERAL HIGH STRENGTH MATERIALS

JAMES C. HO  
WICHITA STATE UNIVERSITY

DATTATRAYA P. DANDEKAR  
MATERIALS DYNAMIC BRANCH

July 1988

Approved for public release; distribution unlimited.



US ARMY  
LABORATORY COMMAND  
MATERIALS TECHNOLOGY LABORATORY

U.S. ARMY MATERIALS TECHNOLOGY LABORATORY  
Watertown, Massachusetts 02172-0001

DTIC  
ELECTED  
AUG 26 1988  
D  
E

88 8 25 204

## UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER MTL TR 88-23	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle)  LOW TEMPERATURE HEAT CAPACITIES OF SEVERAL HIGH STRENGTH MATERIALS		5. TYPE OF REPORT & PERIOD COVERED  Final Report
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s)  James C. Ho* and Dattatraya P. Dandekar		8. CONTRACT OR GRANT NUMBER(S)
9. PERFORMING ORGANIZATION NAME AND ADDRESS U.S. Army Materials Technology Laboratory Watertown, ATTN: SLCMT-IML		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS  AMCMS Code: P611102.AH42
11. CONTROLLING OFFICE NAME AND ADDRESS U.S. Army Laboratory Command 2800 Powder Mill Road Adelphi, Maryland 20783-1145		12. REPORT DATE July 1988
		13. NUMBER OF PAGES 6
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report)  Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)  Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES  *Departments of Physics and Chemistry, and Institute of Aviation Research, Wichita State University, Wichita, Kansas 67208		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)  NiAl      Low temperature      Magnetic clusters, W-2      Heat capacity      Nitin, Nitrogen compounds, Al-Fe-Ce      Adiabatic calorimeter,      Cesium. Dry ice		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)  (SEE REVERSE)		

## UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

Block No. 20

## ABSTRACT

Low temperature calorimetric measurements have been made on three metallurgically prepared high strength materials: NiAl, W-2 (a heavy tungsten alloy), and Al-Fe-Ce (a lightweight alloy with dispersion strengthening). To fit the heat capacity data between 3 and 10<sup>5</sup>K, not only the electronic and lattice contributions having T and T<sup>3</sup> dependence, respectively, need to be considered, there is an additional temperature-independent term presumably associated with magnetic clusters. These results provide information on the fundamental characteristics, as well as the heterogeneous nature of the materials not always detectable by standard metallurgical techniques.

## Accession For

NTIS GRA&I DTIC TAB Unannounced 

Justification \_\_\_\_\_

By \_\_\_\_\_

Distribution/ \_\_\_\_\_

## Availability Codes

Email and/or Print Special 

A-1

Key



UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

## INTRODUCTION

The ever increasing demand of high strength materials for a wide range of applications has led to the advancement of many special manufacturing technologies. Among them the powder metallurgy is particularly attractive. This method allows almost any conceivable alloy systems to be synthesized under equilibrium or nonequilibrium conditions. With alloying elements dispersed throughout one another to achieve specially designed microstructures, the resulting materials often exhibit excellent mechanical properties. Furthermore, powder metallurgy simplifies processing steps and helps form high strength parts of complicated configurations at much reduced difficulty and cost.

This work deals with low temperature calorimetric studies of three high strength materials synthesized by powder metallurgy: NiAl, W-2, and Al-Fe-Ce.

In the rather wide composition range of 45 to 60 atomic % Ni of the Ni-Al binary system, an intermediate phase  $\beta'$  based on NiAl has a CsCl structure. The intermetallic compound NiAl has been the subject of many materials research programs<sup>1</sup> because of its structural stability at high temperatures. The sample used has a Ni content of 49.3 wt%. W-2 contains tungsten grains mixed with 2.7 wt% of Fe/Ni/Cu particles.\* Extensive quality control in initial powder production ensures a consistent, homogeneous as-sintered matrix with virtually no porosity. This material has a good machinability and, like most tungsten base alloys, has a high weight-to-volume ratio required in certain applications. In contrast, Al-Fe-Ce represents a new type of lightweight aluminum alloys with dispersion strengthening. Our sample contains 8 and 4 wt% of Fe and Ce, respectively.<sup>2</sup>

## EXPERIMENTS AND RESULTS

Heat capacity measurements were made between about 3 and 10<sup>0</sup>K with an adiabatic calorimeter. Pulsed, electrical heating and germanium thermometry were used. The heater and the thermometer were attached to a copper block, which was in turn thermally anchored to the sample weighing 20 to 40 g each. Heat capacity of the copper block in the same temperature range was separately determined for addenda corrections.

The low temperature heat capacity of a typical, metallic solid can be expressed as a function of temperature:<sup>3</sup>

$$C = \gamma T + \beta T^3.$$

The linear term is associated with conduction electrons, with its coefficient  $\gamma$  related to the density of states at Fermi level. The  $T^3$ -dependent term arises from lattice vibrations. The coefficient  $\beta$  is proportional to  $\theta_D^{-3}$ , where the Debye characteristic temperature  $\theta_D$  is a measure of the bonding strength of the lattice. Accordingly, a plot of C/T versus  $T^2$  should yield a straight line as shown by the data for pure aluminum in Figure 1. However, this is obviously not the case for the Al-Fe-Ce sample. Rather, a third, temperature-independent contribution to heat capacity needs to be included to fit the data:

$$C = A + \gamma T + \beta T^3.$$

This allows again a linear fit for (C-A)/T versus  $T^2$ . Similar results are obtained for NiAl in Figure 2 and for W-2 in Figure 3, where the normal behavior of pure tungsten<sup>4</sup> is also exhibited for comparison. Whereas the  $\gamma$  value of NiAl is the same as that obtained by Seitchik and Walmsley<sup>5</sup> from a sample showing no temperature-independent term in heat capacity, the  $\beta$  value corresponds to a Debye temperature of 470<sup>0</sup>K, which is much lower than their value of 560<sup>0</sup>K.

\*W-2 is a heavy tungsten alloy developed by Kennametal Inc. for aerospace and nuclear industries.

1. CASKEY, G. R., FRANZ, J. M., and SELLMYER, D. J. *Electronic and Magnetic States in Metallic Compounds-II*. J. Phys. Chem. Solids, v. 34, 1973, p. 1179, and references therein.
2. GRIFFITH, W. M., SAUNDERS, Jr., R. E., and HILDEMAN, G. J. *Elevated-Temperature Aluminum Alloys for Aerospace Applications* in High-Strength Powder Metallurgy Aluminum Alloys, ed., J. J. Koczak and G. J. Hildeman, The Metallurgical Society of AIME, Warrendale, PA, 1982, p. 209.
3. KITTEL, C. *Introduction to Solid State Physics*. 5th ed., John Wiley & Sons, New York, 1976, Chapters 5 and 6.
4. WAITE, T. R., CRAIG, R. S., and WALLACE, W. F. *Heat Capacity of Tungsten Between 4 and 150<sup>0</sup>K*. Phys. Rev., v. 104, 1956, p. 1240.
5. SEITCHIK, J. A., and WALMSLEY, R. H. *Nuclear Magnetic Resonance Study of Al<sup>27</sup> in NiAl*. Phys. Rev., v. 131, 1963, p. 1473.




Figure 1. Low temperature heat capacities of pure aluminum and Al-Fe-Ce alloy.




Figure 2. Low temperature heat capacities of NiAl.




Figure 3. Low temperature heat capacities of pure tungsten and W-2 alloy.

It should be noted that, while a homogeneous NiAl is of a single phase, the other two samples have Al or W matrix with the additional elements Fe/Ce or Fe/Ni/Cu present as dispersed particles of different phases for mechanical properties enhancement. In this regard, the calorimetrically determined  $\gamma$  and  $\beta$  values for the multi-phase materials represent only average values and their differences from those for the matrix materials are considered reasonable in magnitude.

## DISCUSSION

Temperature-independent heat capacities have previously been observed in other materials at low temperatures, following the first report on TiFe by Schroder and Cheng<sup>6</sup> in 1960. These materials invariably contain magnetic elements Fe, Co, or Ni, but are not magnetically ordered. The interpretation,\* which is likely valid here, involves the clustering of such magnetic elements on a submicroscopic scale not always detectable with standard metallurgical techniques. In principle, energy levels of magnetic clusters with spin  $J$  can be split by crystalline anisotropic effects.<sup>6</sup> The resulting energy level pattern produces a specific heat anomaly, i.e., in these crystal extra degrees of freedom lead to a constant heat capacity contribution if the thermal energy is much greater than the energy associated within interaction between the magnetic moments of the clusters and the crystal field. Such a condition is apparently satisfied in this work even at relatively low temperatures.

Clustering occurs when atoms of the same kind tend to associate together. This and the short-range ordering reflect deviations from either an ideal solid solution or a superlattice. Studies of their occurrence are of importance towards a better understanding of alloys in general. In this regard, it is of interest to reveal, through low temperature calorimetry, the existence of clusters not only in W-2 as somewhat expected, but also in NiAl and the

\*For detailed discussion, see R. L. FALGE, Jr., and N. M. WOLCOTT. *J. Low Temp. Phys.*, v. 5, 1971, p. 617.

6. SCHRODER, K., and CHENG, C. H. *Correlation of Low-Temperature Caloric and Magnetic Effects in TiFe*. *J. Appl. Phys.*, v. 31, 1960, p. 2154.

Al-Fe-Ce alloy. Furthermore, the non-zero temperature-independent A-term in heat capacity and the lower Debye temperature of our NiAl sample, as compared to that of Seitchik and Walmsey<sup>5</sup> may very well be closely related since A is related to cluster per mole or inhomogeneity in the material. The possible effect of clusters on the performance of high strength materials like W-2, as well as the dependence of their formation on manufacturing processes should, therefore, be systematically investigated by performing similar measurements on W-4, W-6, and W-10 where the alloying elements Fe/Ni/Cu are present in 4, 6, and 10 percent by weight, respectively, in tungsten.

**DISTRIBUTION LIST**

No. of Copies	To	No. of Copies	To
1	Office of the Under Secretary of Defense for Research and Engineering, The Pentagon, Washington, DC 20301		Department of Energy, 1000 Independence Avenue, Washington, DC 20585
	Commander, Defense Technical Information Center, Cameron Station, Building 5, 5010 Duke Street, Alexandria, VA 22314	3	ATTN: Mr. Richard T. Albaugh, Dr. R.B.Schultz, and Mr. William McDonough, Office of Vehicle & Engine R&D, FE-131 FORSTL
2	ATTN: DTIC-FDAC	1	Mr. Albert A. Chesnes, Director, Technology Development and Analysis, Office of Vehicle & Engine R&D, CE-131 FORSTL
1	Commander, U.S. Army Laboratory Command, 2800 Powder Mill Road, Adelphi, MD 20783-1145	1	Dr. J. J. Eberhardt, Office of Energy systems Research, CE-142 FORSTL
1	ATTN: AMSLC-IM-TL		Department of Energy, Washington, DC 20585
	Commander, U.S. Army Materiel Command (AMC), 5001 Eisenhower Avenue, Alexandria, VA 22333	1	ATTN: Mr. Stanley J. Dapunkas, Office of Technical Coordination, Fossil Energy Technical Coordination Staff, FE-14 GTN
1	ATTN: AMCLD	1	Dr. John W. Fairbanks, Office of Advanced Energy Conversion, FE-12 GTN
	Commander, U.S. Air Force Wright Aeronautical Laboratories, Wright-Patterson Air Force Base, OH 45433	1	Dr. Robert J. Gotschall, Office of Material Sciences ER-131 GTN
1	ATTN: AFWAL/MLM, Robert Ruh, Metals and Ceramics Division		Department of Energy, 550 2nd Street, Idaho Falls, ID 83401
1	AFWAL/MLM, Dr. H. Graham	1	ATTN: Mr. W. H. Thielbahr, Chief, Energy Programs Branch, Idaho Operations Office
1	AFWAL/MLM, Dr. Allan Katz		Battelle Columbus Laboratories, 505 King Avenue, Columbus, OH 43201
1	AFWAL/POO, Mr. Everett A. Lake	1	ATTN: Winston Duckworth
1	AFWAL/POX, Mr. Donald J. Campbell	1	Dinesh Shetty
1	AFWAL/POTC, Mr. Don Zabierek	1	Dr. Dale E. Niesz, Manager, Materials Department
	Commander, U.S. Army Belvoir Research and Development Center, Fort Belvoir, VA 22060		Argonne National Laboratory, Building 362, 9700 South Cass Avenue, Argonne, IL 60439
1	ATTN: FTRBE-EMP, Mr. James P. Arnold	1	ATTN: Mr. Larry Johnson, Director, Center for Transportation Research
	Commander, U.S. Army Tank-Automotive Command, Warren, MI 48090		Los Alamos National Laboratory, P.O. Box 1663, Los Alamos, NM 37545
1	ATTN: Mr. W. Bryzik	1	ATTN: Dr. S. S. Hecker, Deputy Division Leader, Material Science and Technology Division, G-756
	Director, U.S. Army Research and Technology Laboratory (AVSCOM), Applied Technology Laboratory, Fort Eustis, VA 23604	1	Frank D. Gac, CMB-6, MS G770
1	ATTN: SAVDL-ATL-ATP, Mr. Graydon A. Elliot	1	Dr. J. Petrovic, CMB-5, MS 730
	Commander, U.S. Army Mobility Equipment Research and Development Command (MERADCOM), Electrical Power Laboratory, Fort Belvoir, VA 22060	1	Mr. S. R. Skaggs, Program Office, MS F-682
1	ATTN: Mr. Arthur D. Kinser		Oak Ridge National Laboratory, P.O. Box X, Oak Ridge, TN 37831
	Commander, U.S. Army Research Office, P.O. Box 12211, Research Triangle Park, NC 27709-2211	1	ATTN: A.C. Schaffhauser, Building 4508, MS 113
1	ATTN: Dr. J. Hurt	1	Dr. R. Johnson, Building 4508, MS 113
1	Dr. Robert R. Reeber	1	V. J. Tennery, Building 4500S, B-160
	Chief of Naval Research, 300 North Quincy Street, Arlington, VA 22217	2	J. Carpenter and Dr. K. Lio
1	ATTN: Dr. R. Pohanka		Sandia National Laboratories, P.O. Box 5800, Albuquerque, NM 87185
	Naval Research Laboratory, Washington, DC 20375	1	ATTN: Dr. E. Beauchamp, Ceramics Development Division
1	ATTN: Mr. David Lewis, Code 6363	1	Robert E. Cuthrell
	Chief, Naval Air Propulsion Center, Science and Technology Group, Systems Technology Division, Box 7176, PE 34 Trenton, NJ 08628	1	R. J. Eagan
1	ATTN: Mr. Joseph W. Glatz		National Research Council, National Materials Advisory Board, 2101 Constitution Avenue, Washington, DC 20418
	U.S. Bureau of Mines, 2401 Eye Street, N.W., Washington, DC 20241	1	ATTN: Dr. Richard M. Spriggs
1	ATTN: Mr. Murray A. Schwartz	1	Dr. Klaus M. Zwilsky, Executive Director
	National Bureau of Standards, Building 223, Gaithersburg, MD 20899		National Science Foundation, Division of Materials Research 1800 G Street, N.W., Washington, DC 20550
1	ATTN: Dr. N. Tighe, Deformation and Fracture Division	1	ATTN: Dr. Louis E. Toth
1	Dr. D. Freiman		National Aeronautics and Space Administration, Energy Systems Office, Code REC-1, Washington, DC 20546
1	S. Wiederhorn, Inorganic Materials Division	1	ATTN: Dr. Phillip R. Compton
2	Dr. E. Fuller and T. Mechalske		National Aeronautics and Space Administration, Goddard Space Center, Greenbelt, MD 20771
	Appropriations Committee, Subcommittee on Interior and Related Events, B-308 Rayburn Building, Washington, DC 20515	1	ATTN: Thomas Heslin, Code 313.1
1	ATTN: Mr. Neal Sigmon		National Aeronautics and Space Administration, Lewis Research Center, 21000 Brookpark Road, Cleveland, OH 44135
	U.S. House of Representatives, Committee on Science and Technology, Suite 2321, Rayburn House Office Building, Washington, DC 20515	1	ATTN: Mr. Thomas P. Herbell, and Dr. S. Dutta, Mail Stop 49-1
1	ATTN: Mr. Harlan L. Watson, Subcommittee on Energy Research and Production	1	Dr. S. Dutta, Mail Stop 49-1
	U.S. House of Representatives, Committee on Science and Technology, Room 2321 Rayburn Building, Washington, DC 20515	1	Dr. H. B. Probst, Chief, Non-Metallic Materials Branch, Materials Division, Mail Stop 49-3
1	ATTN: Mr. Anthony C. Taylor, Staff Director, Subcommittee on Transportation, Aviation and Materials	1	Dr. Michael Millard, Materials Division, 5131
	Department of Defense, 1400 Wilson Boulevard, Arlington, VA 22209	1	Mr. Robert C. Evans, Assistant Manager, Vehicular Gas Turbine and Diesel Project Office
1	ATTN: Dr. Steven G. Wax, Materials Science Division, Advanced Research Projects Agency		Alfred University, 22 South Main Street, Alfred, NY 14801
		1	ATTN: Prof. V. J. Frechette

No. of Copies	To
	Alfred University, New York State College of Ceramics, 22 South Main Street, Alfred, NY 14802
2	ATTN: James R. Varner, Associate Prof.
1	Dr. W. Richard Ott
	Brown University, Department of Chemical Engineering, Providence, RI 02912
1	ATTN: Prof. Thomas Rockett
	Case Western Reserve University, Department of Metallurgy, Cleveland, OH 44106
2	ATTN: Prof. A. Cooper and Prof. Arthur H. Heuer Columbia University, Director of Center for Strategic Materials, 1137 S.W., Mudd Building, New York, NY 10027
1	Dr. John K. Tien
	Georgia Institute of Technology, Atlanta, GA 30331
1	ATTN: EML/EES, J. D. Walton
	Iowa State University, Department of Materials Science and Engineering, Ames, IA 50011
1	ATTN: Dr. Thomas D. McGee
	Johns Hopkins University, Applied Physics Laboratory, Laurel, MD 20810
2	ATTN: R. Kelly Frazer and Louis D. Weckesser
	Massachusetts Institute of Technology, Department of Metallurgy and Materials Science, Cambridge, MA 02139
1	ATTN: Prof. K. Bowen, Room 12-009
1	Prof. R. L. Coble
	Michigan Technical University, Department of Metallurgical Engineering, Houghton, MI 49931
1	ATTN: Dr. B. Plettka
	North Carolina State University, Material Engineering Department, 232 Riddick Laboratory, Raleigh, NC 27605
1	ATTN: Prof. Robert F. Davis
	North Carolina State University, Engineering Research Services Division, 2158 Burlington Engineering Laboratories, P.O. Box 5995, Raleigh, NC 27607
1	ATTN: Dr. Hayne Palmour III
	Ohio State University, Ceramic Engineering Department, 2041 College Road, Columbus, OH 43210
1	ATTN: Prof. Dennis Readey, Department Chairman
	Pennsylvania State University, Department of Materials Science and Engineering, Steidle Building, University Park, PA 16802
2	ATTN: Prof. Richard Tressler, and Dr. J. Mecholsky
	Rensselaer Polytechnic Institute, Materials Engineering Department, Troy, NY 12181
1	ATTN: Prof. R. Doremus
	Rutgers University, Busch Campus, Box 909, Bowser Road, Piscataway, NJ 08854
1	ATTN: Dr. Malcolm G. McLaren, Head, Department of Ceramics
1	Prof. R. Cannon
	Rutgers University, Department of Ceramics, P.O. Box 901, Piscataway, NJ 08854
1	ATTN: Dr. John B. Wachtman, Jr.
	Texas A&M University, Civil Engineering Department, College Station, TX 77843
1	ATTN: Dr. Richard Schapery
	University of California, Lawrence Berkeley Laboratory, 264 Hearst Mining Building, Berkeley, CA 94720
1	ATTN: Dr. Anthony G. Evans
	University of California, Department of Materials Science, Berkeley, CA 94720
2	ATTN: Prof. D. Marshall, and Dr. A. Evans
	University of California, Lawrence Livermore Laboratory, P.O. Box 808, Livermore, CA 94550
1	ATTN: Mr. R. L. Landingham
	University of California, Department of Materials Science and Engineering, Los Angeles, CA 90024
1	Prof. George Sines
	University of Delaware, Center for Composite Materials, 2001 Spencer Laboratory, Newark, DE 19716
1	ATTN: Prof. R. Byron Pipes

No. of Copies	To
	University of Illinois at Urbana-Champaign, Department of Ceramic Engineering, 105 South Goodwin Avenue, Urbana, IL 61801
1	ATTN: Prof. Clifton G. Bergeron, Head, Department of Ceramic Engineering, 104 Ceramics Building
1	Prof. Sherman D. Brown, 203 Ceramics Building
1	Dr. Subhash Risbud
	University of Massachusetts, Department of Mechanical Engineering, Amherst, MA 01003
1	ATTN: Prof. J. Ritter, Jr.
1	Dr. K. Jakus
	University of Michigan, Ann Arbor, MI 48109
2	ATTN: Prof. T. Y. Tien and Prof. J. Wallace, Department of Materials and Metallurgical Engineering
1	Prof. E. Hucke
	University of Missouri - Rolla, 120 Fuller Hall, Rolla, MO 65401-0249
1	ATTN: Prof. Robert Moore
	University of Washington, Seattle, WA 98195
1	ATTN: Prof. R. Bradt, Mining, Metallurgical and Ceramic Group
3	Dr. A. F. Emery, Prof. Albert S. Kobayashi, and Dr. Raymond Taggart, Department of Mechanical
1	Charles W. Newquist, Ceramic Engineering Division, FB-10
1	Prof. A. Miller
	University of Wyoming, Composite Materials Research Group, Mechanical Engineering Department, Laramie, WY 82071
1	ATTN: Prof. Donald F. Adams
	Virginia Polytechnic Institute and State University, Blacksburg, VA 24061
1	ATTN: Dr. D. P. H. Hasselman, Department of Materials Engineering
1	Prof. K. L. Reifsnider, Department of Engineering Science and Mechanics
	Washington University at St. Louis, Lindell and Skinker, Box 1087, St. Louis, MO 63130
1	ATTN: Dr. H. T. Hahn, Department of Mechanical Engineering
	Admiralty Materials Technology Establishment, Poole, Dorset BH 16 6JU, United Kingdom
2	ATTN: Dr. D. Godfrey and Dr. M. Lindley
	Admiralty Research Establishment, Holton Heath, Poole, Dorset, BH 16 6JU, United Kingdom
3	ATTN: Mr. Keith Pitman
	CSIRO Advanced Materials Laboratory, P.O. Box 4331, Melbourne, Victoria, Australia 3001
1	ATTN: Dr. M. V. Swain
	Denki Kagaku Kogyo Kabushiki Kaisha, Pan American Build- ing, 200 Park Avenue, New York, NY 10166
1	ATTN: Mr. Yukio Ohara
	Kyocera Corporation, Central Research Laboratory, 1-4 Yamashita - Cho, Kokubo, Kagoshima, 899-43, Japan
1	ATTN: Dr. Y. Hamano
	Lucas Cookson Syalon, Ltd., Cranmore Boulevard, Shirley- Sulhull, West Midlands, B904LL, United Kingdom
2	ATTN: Dr. E. G. Butler, and J. Lumby
	Materials Research Laboratories, P.O. Box 50, Ascot Vale, VIC 3032, Australia
1	ATTN: Dr. C. W. Weaver
	National Institute for Materials Research, P.O. Box 395, Pretoria, 0001, South Africa
1	ATTN: Dr. B. Berger
	Norton Company, 3001 Daly Street, Niagara Falls, Ontario, Canada L2G 6S2
2	ATTN: Dr. Chris Knapp and Dr. P. Trischuk
	SNECMA Laboratoire - Section YRUTS, BP 11 - 91013, Eure Edey, France
1	ATTN: Dr. Daniel Lamotte
	Stiftelsen Svensk Detektorsteknologi, Tellus, Johanneshov 34-26, P.O. Box 22052, S-126 11 Stockholm, Sweden
1	ATTN: Dr. Finn Duchtelaar

No. of Copies	To
---------------	----

Toyota Central Research and Development Laboratories, 502 Group, Nagakute-cho, Aichi-Gun, Aichi-Ken 480-11, Japan  
1 ATTN: Dr. Shigeki Kobayashi

University of Newcastle Upon Tyne, Cookson Group, Newcastle on Tyne, NEI 7 RU, United Kingdom  
1 ATTN: Prof. S. Jack

Dr. Maxine Savitz, 5019 Lowell Street, Washington, DC 20016

Adiabatics, Inc., 630 S. Mapleton, Columbus, IN 47201  
1 ATTN: Dr. Roy Kamo, President

Advanced Refractory Technologies, Inc., 699 Hertel Avenue, Buffalo, NY 14207  
1 ATTN: Dr. Peter T. B. Shaffer

The Aerospace Corporation, P.O. Box 92957, Los Angeles, CA 90009  
1 ATTN: W. U. Roessler, M3-392

Air Products and Chemicals, Inc., Box 538, Allentown, PA 18105  
1 ATTN: Mr. Ken Baumert

AiResearch Casting Company, 19800 Van Ness Avenue, Torrance, CA 90509  
4 ATTN: Mr. Karsten H. Styhr, R. Hengst, D. Schwab, and D. Kotchick

AiResearch/Garrett Turbine Engine Company, P.O. Box 9217, 111 South 34th Street, Phoenix, AZ 85010  
4 ATTN: Dr. D. Carruthers, Dave G. Finger, Dr. J. Smythe, and Dr. J. Wimmer

AiResearch Manufacturing Company, 2525 West 190th Street, Torrance, CA 90509  
1 ATTN: David Kotchick, 3-42, Department 93-18

ALCOA Laboratories, Alcoa Center, PA 15069  
1 ATTN: Mr. Richard Rolf, Product Engineering Division

Amercom, Inc., 8948 Fullbright Avenue, Chatsworth, CA 91311  
1 ATTN: Mr. R. E. Fisher, President

AM General Corporation, 14250 Plymouth Road, Detroit, MI 48232  
1 ATTN: Steven L. Sanborn

ARCO Metals Company, Ceramic Materials & Process Technology, Silag Operation, Route 6, Box A, Greer, SC 29651  
2 ATTN: Mr. James F. Rhodes and Dr. Ronald L. Beatty

AVCO, Lowell Industrial Park, Lowell, MA 01387  
1 ATTN: Dr. T. Vasilos, Applied Technology Division

AVCO Lycoming Division, 550 South Main Street, Stratford, CT 06497  
5 ATTN: Dr. Sharon Trombley, D. E. Wilson, Hsianmin Jen, Robert Johnston, and Mr. Zoltai Libertini

Babcock and Wilcox, P.O. Box 1260, Lynchburg, VA 24505  
1 ATTN: Mr. Michael Rigdon

Bell Laboratories, Inc., 555 Union Blvd., Allentown, PA 18103  
1 ATTN: Bhaskar B. Ghate

The Bendix Corporation, 900 W. Maple Road, Troy, MI 48084  
1 ATTN: Paul C. Becker, Ph.D., Manager, Engineering Materials, Materials Technology Center, Automotive Technical Center

The Boeing Company, Seattle, WA 98124  
1 ATTN: Mr. J. Van Wyk, Materials & Processes Laboratory, Aerospace Group

Brunswick Corporation, 150 Johnston Road, Marion, VA 24354  
1 ATTN: Harold R. Mabe, Defense Division  
2 ATTN: Garry D. Leonard and Robert L. Copeland

Caterpillar Tractor Company, 100 N.E. Adams, Peoria, IL 61629  
1 ATTN: Mr. John M. Barley, Research Consultant, Research Department, Technical Center

Ceradyne Inc., 3030-A South Red Hill Avenue, Santa Ana, CA 92705  
1 ATTN: Dr. Richard Palicka

No. of Copies	To
---------------	----

Ceramic Finishing Company, P.O. Box 493, State College, PA 16801  
1 ATTN: Dr. H. P. Kirchner

Champion Spark Plug Company, 20000 Conner Avenue, Detroit, MI 48234  
2 ATTN: Mrs. William Manning and Mr. Paul Romnes

Chrysler Corporation, Box 1118, Detroit, MI 48238  
1 ATTN: John M. Corwin, CIMS 410-36-15

Combustion Engineering Inc., 911 West Main Street, Chattanooga, TN 37402  
1 ATTN: C. H. Sump

Coors Porcelain Company, 600 Ninth Street, Golden, CO 80401  
2 ATTN: Kenneth Green, Eng. IV Supervisor, and Mr. Donald Roy

Coors Porcelain Company, 17750 North 32nd Street, Golden, CO 80401  
1 ATTN: Dr. David Wirth, Vice President, Technical Operations, Research and Development

Corning Glass Works, Sullivan Park, Corning, NY 14830  
1 ATTN: Mr. J. P. Lanning, Advanced Engine Components, HP-BB-7  
1 ATTN: Herbert A. Miska, Main Plant, MS 3-05-5  
5 ATTN: Dr. K. Chyung, Dr. M. Taylor, Donna L Taylor, Ms. S. Stuckley, and Mr. D. Larsen

Cummins Engine Company, Inc., Box 3009, Columbus, IN 47202  
3 ATTN: Dr. James W. Patten, Director, Materials Engineering, Mail Code 50183, and Dr. George Wolter  
1 ATTN: Dr. T. Yonushonis

Deere and Company Technical Center, 3300 River Drive, Moline, IL 61265  
1 ATTN: Dr. Gopal Revankar, Metals Research

Delta Q Labs, P.O. Box 64, West Nottingham, NH 03291  
1 ATTN: Dr. Dale Rice

DHR, Inc., 6858 Old Dominion Drive, McLean, VA 22101  
1 ATTN: Dr. Richard Silberglipt

Dow Corning Corporation, 3902 S. Saginaw Road, Midland, MI 48640  
1 ATTN: Dr. Frank Chi

Dow Corning Corporation, 3901 S. Saginaw Road, Midland, MI 48640  
1 ATTN: Mr. H. W. Foglesong

Dow Corning Corporation, Midland, MI 48600  
1 ATTN: Mr. Neal Langley

The Dow Chemical Company, M. E. Pruitt Bldg., -1226, Central Research Inorganic Lab., Midland, MI 48640  
1 ATTN: William Ratamello

Eaton Corporation, 26001 Northwestern Highway, P.O. Box 766, Southfield, MI 48237  
1 ATTN: Kenneth A. Hatcher  
1 ATTN: Mr. Thomas J. Wissling, Manager, Government Contract Administration, Engineering and Research Center

EG&G, Inc., Materials Technology Division, Idaho National Laboratories, P.O. Box 1629, Idaho Falls, ID 83415  
1 ATTN: Dr. Victor Kelsey, and Dr. Gary North

FATON Operations and Technical Center, 4001 North 17th St, Milwaukee, WI 53216  
1 ATTN: Dr. T. Kuczkowski, Materials Research

EPR, P.O. Box 10412, 3412 Hillview Avenue, Palo Alto, CA 94304  
1 ATTN: Dr. A. John and Mr. K. Kinsman

Fiber Materials, Inc., Bridgeton Industrial Park, Bridgeton, ME 04005  
1 ATTN: Dr. H. D. Batha

Ford Motor Company, P.O. Box 1053, Dearborn, MI 48121  
1 ATTN: Mr. A. McElroy, Materials Department  
1 ATTN: Lewis R. Swank, Rm. 1011-11-3  
1 ATTN: Dr. P. Govila

The Garrett Corporation, 9851 Sepulveda Boulevard, Suite 92740, Los Angeles, CA 90064  
1 ATTN: Dr. John Mason, Vice President - Engineering

No. of Copies	To
---------------	----

GA Technologies, Inc., P.O. Box 31608, San Diego, CA 92138  
1 ATTN: Dr. T. D. Gulden, Manager, Ceramics and Chemistry

Gas Research Institute, 8600 West Bryn Mawr Avenue, Chicago, IL 60631  
1 ATTN: Dr. Winston W. Liang, Project Manager, Industrial Materials Research

General Electric Company, P.O. Box 527, King of Prussia, PA 19406  
1 ATTN: Dr. Solomon Musikant, Program Manager, Advanced Energy Programs Department

General Electric Company, Aircraft Engine Group, Mail Drop H-99, Cincinnati, OH 45215  
1 ATTN: Warren A. Nelson

General Electric Company, Mail Drop M82, I-75 and Neumann Way, Cincinnati, OH 45215  
1 ATTN: Dr. John S. Erickson

General Electric Company, P.O. Box 3, Schenectady, NY 12345  
3 ATTN: Dr. Curtis A. Johnson, Dr. R. Giddings, and Dr. C. Greskovich, Research and Development Center  
1 Dr. R. J. Charles

General Electric Space Division, Rm. U4212, Bldg. 100, P.O. Box 8555, Philadelphia, PA 19101  
1 ATTN: Dr. A. Ismail Abdel-Iatif

General Dynamics Corporation, P.O. Box 2507, Pomona, CA 91766  
1 ATTN: Dr. R. Hallise, Pomona Division

AC Spark Plug Division of General Motors, 1300 North Dart Highway, Flint, MI 48556  
1 ATTN: Bernard J. Busovne, Jr.  
1 Dr. Frederick L. Kennard, III, Supervisor, Ceramics Research

General Motors Technical Center, Research Laboratories, Department 43, General Motors Research, Warren, MI 48090  
2 ATTN: Mr. Bill Alcini, and Jerry A. Barendrecht

General Motors Corporation, Allison Gas Turbine Operations, P.O. Box 420, Indianapolis, IN 46206-0420  
3 ATTN: Dr. Peter W. Heitman, W-5, Mr. H. E. Helms, and Michael Janovicz  
1 Mr. Harold L. Stocker, T-23, Manager, Low Heat Rejection Program  
1 Dr. Pramod Khandelwal W-5

Gobal, 10 Milk Street, 15th Floor, Boston, MA 02109  
1 ATTN: Dr. Bruce Rubinger

GTE Laboratories, 10 Sylvan Road, Waltham, MA 02154  
1 ATTN: Dr. J. Thomas Smith, Director, Precision Materials Technology  
5 Dr. Arvid F. Pasto, Mr. J. Neal, Dr. M. L. Huckabee, Dr. J. G. Baldoni, and Dr. T. Butler

GTE Wesgo, 477 Harbor Boulevard, Belmont, CA 94002  
3 ATTN: Mr. C. Edmiston, Dr. D. Milovic, and Dr. Howard Mizuhara

Honeywell Ceramics Center, 1885 Douglas Drive, Golden Valley, MN 55422  
1 ATTN: Mr. W. Harrison

Honeywell, Inc., 10701 Lyndale Avenue South, Bloomington, MN 55420  
2 ATTN: Dr. B. Koepke, and Dr. K. McHenry

Howmet Turbine Components Corporation, 1600 South Warner Road, Whitehall, MI 49461  
1 ATTN: Mr. Larry G. McCoy, Ceramic Products Division

IBM Corporation, 1701 North Street, Endicott, NY 13732  
1 ATTN: Dr. Brent Knifer, U48/022-3

Jet Propulsion Laboratories, 4800 Oak Grove Drive, Pasadena, CA 91103  
1 ATTN: William A. Edmiston, Building 506, Room 432  
1 James G. Zwissler, Member Tech. Staff  
1 Dr. Richard Smoak

Kennametal, Inc., Box 639, Greensburg, PA 15601  
1 ATTN: Dr. Bernard North

Kyocera International, 2300 East Devon Avenue, Suite 253, Des Plaines, IL 60018  
1 ATTN: Nick Kamiya

No. of Copies	To
---------------	----

Lanxide Corporation, Trillie Industrial Park, Newark, DE 19711  
1 ATTN: Mr. Stanley Lutz

Lockheed Missiles and Space Company, Inc., P.O. Box 304, Sunnyvale, CA 94086  
1 ATTN: C. U. Himmelblau, Sr. Materials Engineer, 0781-33, B/154

LTV Vought Missiles and Advanced Programs Division, P.O. Box 225907, Dallas, TX 75265  
1 ATTN: Mr. Douglas Freitag, Mail Stop TH-85

Maremont Corporation, 291 North Street, Saco, ME 04072  
1 ATTN: Ernest Bunning, Saco Defense Systems Division

Martin Marietta Aerospace, P.O. Box 5837, Orlando, FL 32855  
1 ATTN: Earle A. Welsh, 305/352-3435, Mail Point 275

Martin Marietta Laboratories, 1450 South Rolling Road, Baltimore, MD 21227-3898  
1 ATTN: Dr. Albert R. C. Westwood, Corporate Director  
1 Dr. J. Venables

Mechanical Technology, Inc., 968 Albany-Shaker Road, Latham, NY 12110  
1 ATTN: Mr. Warren F. Besslur, Manager, Advanced Programs Branch  
2 S. Gray and W. P. Sumigray

Norton Company, High Performance Ceramics, Goddard Road, Northboro, MA 02153 32-1545  
1 ATTN: Mr. Robert J. Russell, Divisional Vice President, Technology and Planning, High Performance Ceramics  
1 Dr. Anil K. Agarwalla, Product Manager  
4 Dr. Joseph Panzarino, Dr. P. O. Charreyron, Dr. James Hannoosh, and Maurice L. Torti  
3 Mr. R. Yeckley, Mr. N. Corbin, and Mr. L. Chuck

O.R.I. Inc., 1375 Piccard Drive, Rockville, MD 20910  
1 ATTN: Mr. William L. Cleary, Associate Division Director

Pratt and Whitney Aircraft, P.O. Box 2691, West Palm Beach, FL 33402  
1 ATTN: Mr. Mel Mendelson

Raytheon Missile Systems Division, Bedford, MA 01730  
3 ATTN: Dr. Peter L. Boland, Joel Spearin, and Bruce C. Center, Staff Engineer

Raytheon Research Division, 131 Spring Street, Lexington, MA 02173  
2 ATTN: Dr. R. Gentilman and Dr. E. Maguire

Rockwell International, 6633 Canoga Avenue, Canoga Park, CA 91304  
1 ATTN: Mr. Harold Carpenter, M/S D539/BA92

Rockwell International Science Center, P.O. Box 1085, 1049 Camino Dos Rios, Thousand Oaks, CA 91360  
1 ATTN: Dr. Frederic Lange

Signal UOP Corporate Research Center, 10 UOP Plaza, Des Plaines, IL 60016  
1 ATTN: Dr. Steven Gonczy

SOHIO Engineered Materials Company, P.O. Box 1054, Niagara Falls, NY 14302  
1 ATTN: Dr. Jonathon W. Hinton, Vice President and General Manager, Structural Ceramics

SOHIO Engineered Materials Company, P.O. Box 832, Niagara Falls, NY 14302  
3 ATTN: Dr. M. Srinivasan, Dr. S. Seshadri, and G. Weber, Advanced Materials Division

Solar Energy Research Institute, 1617 Cole Boulevard, Golden, CO 80401  
1 ATTN: Mr. Gary Jorgensen

Solar Turbines, Inc., P.O. Box 90966, 2100 Pacific Highway, San Diego, CA 92138  
1 ATTN: Dr. Arthur Metcalfe  
1 Andrew Russell, and J. Napier, MS R-1

Southern Research Institute, P.O. Box 3307-A, Birmingham, AL 35205  
1 ATTN: Mr. H. S. Starrett

Southwest Research Institute, 12 Lebra Road, San Antonio, TX 78224  
1 ATTN: Dr. J. Lankford

No. of Copies	To
1	Systems Research Laboratories, 1300 Indian Ripple Road, Dayton, OH 45430 ATTN: Dr. M. G. Mendiratta
2	SRI International, 233 Ravenswood Avenue, Menlo Park, CA 94025 ATTN: Dr. David Rowcliffe and Dr. Phil Umhold
1	Tam Ceramics, Inc., Box 7, Bridge Station, Niagara Falls, NY 14305 ATTN: Roy C. Holmes, Technical Product Manager
1	Teledyne-CAE, P.O. Box 6971, Toledo, OH 43612 ATTN: Mr. R. Beck
1	Teledyne Continental Motors, 1-Getty Street, Muskegon, MI 49442 ATTN: William H. Schrimmick, and Michael Moynihan
1	Tenesco, Inc., P.O. Box 1269, Station A, Champaign, IL 61820 ATTN: Morris Berg
1	TRW Martin Rockwell Division, 402 Chandler street, Jamestown, NY 14701 ATTN: Michael Franklin
1	United Technologies Research Center, Silver Lane, East Hartford, CT 06108 ATTN: Dr. F. Galasso Dr. W. Prewo, and Dr. J. Brennan, MS-24

No. of Copies	To
1	Variian/EIMAC, 301 Industrial Way, San Carlos, CA 94070 ATTN: Mr. S. William Kessler, Materials and Processing Laboratory
1	W. R. Grace and Company, Washington Research Center 7379 Route 32, Columbia, MD 21044 ATTN: Dr. Roy Rice, Director, Materials Research 1 Kevin F. Bennet
1	Warner-Ishi, 707 Southside Drive, Decatur, IL 62525 ATTN: Hideaki Matsunka, Director of Advanced technology
3	Westinghouse Research and Development Center, 1310 Beulah Road, Pittsburgh, PA 15235 ATTN: Dr. D. Wilson, and Dr. S. C. Singhal, Research Laboratory 1 Dr. Raymond J. Bratton, Manager, Ceramic science
3	Williams International, 2280 West Maple Road, P.O. Box 100, Walled Lake, MI 48088 ATTN: Mr. William Chapman, Mike Egan, and Warren J. Pollington
1	Director, U.S. Army Materials Technology Laboratory, Watertown, MA 02172-0001 ATTN: SLCMT-TML 1 Author

U.S. Army Materials Technology Laboratory,  
Watertown, Massachusetts 02172-0001  
LOW TEMPERATURE HEAT CAPACITIES OF SEVERAL  
HIGH STRENGTH MATERIALS - James C. Ho and  
Dattatraya P. Dandekar  
Technical Report MTL TR 88-23, July 1988, 6 p -  
illus, AMCMs Code, P611102.AH42

AU \_\_\_\_\_  
UNCLASSIFIED  
UNLIMITED DISTRIBUTION  
Key Words  
NiAl  
W-2  
Al-Fe-Ce

Low temperature calorimetric measurements have been made on three metallurgically prepared, high strength materials: NiAl, W-2 (a heavy tungsten alloy), and Al-Fe-Ce (a lightweight alloy with dispersion strengthening). To fit the heat capacity data between 3 and 10°K, not only the electronic and lattice contributions having  $T^1$  and  $T^3$  dependence, respectively, need to be considered, there is an additional temperature-independent term presumably associated with magnetic clusters. These results provide information on the fundamental characteristics as well as the heterogeneous nature of the materials not always detectable by standard metallurgical techniques.

U.S. Army Materials Technology Laboratory,  
Watertown, Massachusetts 02172-0001  
LOW TEMPERATURE HEAT CAPACITIES OF SEVERAL  
HIGH STRENGTH MATERIALS - James C. Ho and  
Dattatraya P. Dandekar  
Technical Report MTL TR 88-23, July 1988, 6 p -  
illus, AMCMs Code, P611102.AH42

AU \_\_\_\_\_  
UNCLASSIFIED  
UNLIMITED DISTRIBUTION  
Key Words  
NiAl  
W-2  
Al-Fe-Ce

Low temperature calorimetric measurements have been made on three metallurgically prepared, high strength materials: NiAl, W-2 (a heavy tungsten alloy), and Al-Fe-Ce (a lightweight alloy with dispersion strengthening). To fit the heat capacity data between 3 and 10°K, not only the electronic and lattice contributions having  $T^1$  and  $T^3$  dependence, respectively, need to be considered, there is an additional temperature-independent term presumably associated with magnetic clusters. These results provide information on the fundamental characteristics as well as the heterogeneous nature of the materials not always detectable by standard metallurgical techniques.

U.S. Army Materials Technology Laboratory,  
Watertown, Massachusetts 02172-0001  
LOW TEMPERATURE HEAT CAPACITIES OF SEVERAL  
HIGH STRENGTH MATERIALS - James C. Ho and  
Dattatraya P. Dandekar  
Technical Report MTL TR 88-23, July 1988, 6 p -  
illus, AMCMs Code, P611102.AH42

AU \_\_\_\_\_  
UNCLASSIFIED  
UNLIMITED DISTRIBUTION  
Key Words  
NiAl  
W-2  
Al-Fe-Ce

Low temperature calorimetric measurements have been made on three metallurgically prepared, high strength materials: NiAl, W-2 (a heavy tungsten alloy), and Al-Fe-Ce (a lightweight alloy with dispersion strengthening). To fit the heat capacity data between 3 and 10°K, not only the electronic and lattice contributions having  $T^1$  and  $T^3$  dependence, respectively, need to be considered, there is an additional temperature-independent term presumably associated with magnetic clusters. These results provide information on the fundamental characteristics as well as the heterogeneous nature of the materials not always detectable by standard metallurgical techniques.

U.S. Army Materials Technology Laboratory,  
Watertown, Massachusetts 02172-0001  
LOW TEMPERATURE HEAT CAPACITIES OF SEVERAL  
HIGH STRENGTH MATERIALS - James C. Ho and  
Dattatraya P. Dandekar  
Technical Report MTL TR 88-23, July 1988, 6 p -  
illus, AMCMs Code, P611102.AH42

AU \_\_\_\_\_  
UNCLASSIFIED  
UNLIMITED DISTRIBUTION  
Key Words  
NiAl  
W-2  
Al-Fe-Ce

Low temperature calorimetric measurements have been made on three metallurgically prepared, high strength materials: NiAl, W-2 (a heavy tungsten alloy), and Al-Fe-Ce (a lightweight alloy with dispersion strengthening). To fit the heat capacity data between 3 and 10°K, not only the electronic and lattice contributions having  $T^1$  and  $T^3$  dependence, respectively, need to be considered, there is an additional temperature-independent term presumably associated with magnetic clusters. These results provide information on the fundamental characteristics as well as the heterogeneous nature of the materials not always detectable by standard metallurgical techniques.